

## **United States Department of the Interior**



## FISH AND WILDLIFE SERVICE Red Bluff Fish & Wildlife Office 10950 Tyler Road, Red Bluff, California 96080 (530) 527-3043, FAX (530) 529-0292

February 14, 2019

To: Interested Parties

From: Scott Voss, Supervisory Fish Biologist, Red Bluff Fish and Wildlife Office

Subject: Biweekly report (January 29, 2019 - February 11, 2019)

Please find attached preliminary daily estimates of passage, 90% confidence intervals, and fork length ranges of unmarked juvenile salmonids sampled at Red Bluff Diversion Dam for the period January 29, 2019 through February 11, 2019. Race designation was assigned using length-at-date criteria.

This report also contains graphical displays of salmonid passage dating back to 2012 for comparison.

Please note that data contained in these reports is subject to revision as this data is preliminary and undergoing QA/QC procedures.

If you have any questions, please feel free to contact me at (530) 527-3043 ext 243.

Table 1.— Preliminary estimates of passage by brood-year (BY) and run for unmarked juvenile Chinook salmon and steelhead trout captured by rotary-screw traps at Red Bluff Diversion Dam (RK391), Sacramento River, CA, for the dates listed below. Results include estimated passage, peak river discharge volume, water temperature, turbidity, and fork length (mm) range in parentheses. A dash (-) indicates that sampling was not conducted on that date.

				Estimated passage				
Date	Discharge volume (cfs) <sup>1</sup>	Water temperature (°C)	Water turbidity (NTU)	BY18 Winter	BY18 Spring	BY18 Fall	BY18 Late-Fall	BY19 RBT
1/29/2019	6,102	10.4	4.4	0(-)	51 (51)	23,956 (27 – 42)	0(-)	0(-)
1/30/2019	5,908	10.8	_	_	_	_	_	_
1/31/2019	5,778	11.0	4.7	0 ( - )	0 ( - )	22,009 (29 – 40)	0 ( - )	0(-)
2/1/2019	5,648	11.1	4.2	0(-)	0 ( - )	15,538 (29 – 39)	0 ( - )	0(-)
2/2/2019	11,186	10.8	_	_	_	_	_	_
2/3/2019	40,313	10.4	_	_	_	_	_	_
2/4/2019	23,777	9.4	_	_	_	_	_	_
2/5/2019	30,419	8.4	_	_	_	_	_	_
2/6/2019	13,803	8.3	26.9	279 (78 – 125)	910 (52 – 66)	70,577 (29 – 50)	0 ( - )	0(-)
2/7/2019	10,648	8.0	11.6	236 (78 – 124)	467 (53 – 64)	39,863 (28 – 52)	0 ( - )	31 (101)
2/8/2019	8,834	8.3	7.7	36 (103)	108 (53 – 71)	24,477 (30 – 52)	0 ( - )	0(-)
2/9/2019	7,934	8.7	7.4	31 (87)	31 (55)	7,652 (28 – 42)	0 ( - )	31 (90)
2/10/2019	8,055	8.0	_	_	_	_	_	_
2/11/2019	8,035	8.0	5.0	77 (124 – 139)	69 (55 – 67)	17,978 (29 – 52)	0 ( - )	0(-)
Biweekly Total <sup>2</sup>				923	2,338	368,273	0	87
Biweekly Lower 90% Confidence Interval				345	704	192,558	0	-31
Biweekly Upper 90% Confidence Interval				1,500	3,972	543,987	0	205
Brood Year Total				1,143,714	48,791	4,526,863	48,164	186
Brood year Lower 90% Confidence Interval				734,744	-6,353	792,317	15,145	-156
Brood year Upper 90% Confidence Interval				1,552,683	103,935	8,261,408	81,184	528

<sup>&</sup>lt;sup>1</sup> Peak daily discharge values do not account for diversions at RBDD and only represent peak flows registered at the Bend Bridge Gauging station (<a href="http://cdec2.water.ca.gov/cgi-progs/queryFx?bnd">http://cdec2.water.ca.gov/cgi-progs/queryFx?bnd</a>).

<sup>&</sup>lt;sup>2</sup> Biweekly totals may be greater than the sum of the daily estimates presented in this table if sampling was not conducted on each day of the biweekly period. A dash (-) denotes those dates. To estimate daily passage for days that were not sampled, we impute missed sample days with the weekly mean value of days sampled within the week.




Figure 1. Weekly estimated passage of unmarked juvenile winter Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period July 1, 2012 to present July 1, 2012 to present.

<sup>\*</sup>Winter Chinook passage value interpolated using a monthly mean for the period October 1, 2013 - October 17, 2013 due to government shutdown.

<sup>\*\*</sup>Winter Chinook passage value reflects addition of length-at-date spring Chinook determined to be winter Chinook from genetic analysis during the period of October 16th thru November 18th during brood years 2017 and 2018. See memos on 2018 biweekly report page for more info.




Figure 2. Weekly estimated passage of unmarked juvenile spring Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period October 16, 2012 to present.

<sup>\*</sup>Spring Chinook passage value reflects subtraction of length-at-date spring Chinook determined to be winter Chinook from genetic analysis during the period of October 16th thru November 18th during brood years 2017 and 2018. See memos on biweekly report website for more info.

## Juvenile Onchorhyncus mykiss Estimated Passage




Figure 3. Weekly estimated passage of unmarked juvenile Rainbow/Steelhead trout at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period January 1, 2013 to present.




Figure 4. Weekly estimated passage of unmarked juvenile fall Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period December 1, 2012 to present.




Figure 5. Weekly estimated passage of unmarked juvenile late fall Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period April 1, 2012 to present.




Figure 6. Weekly estimated passage of unmarked juvenile Chinook salmon at Red Bluff Diversion Dam (RK391) by calendar year. Fish were sampled using rotary-screw traps for the period January 1, 2012 to December 31, 2018